



# LAKESIDE FLOOD SOLUTIONS

LAKESIDE Compuerta Anti  
Inundaciones Acero Inoxidable



## FICHA TÉCNICA



**LAKESIDE**  
FLOOD SOLUTIONS

## LFS Compuerta Anti Inundaciones Acero Inoxidable

Robusta, eficiente y efectiva.  
Activación sencilla y rápida.

### Especificaciones:

- Material: Acero Inoxidable 304
- Grosor Platina: 3mm
- Apertura: 90 o 180 grados
- Seallado: EPDM Waterproof
- Eje singular o doble de apertura
- Opciones de Acabado:
  - a) Standard S.S. hairline finish
  - b) "Powder coating" en cualquier color RAL
  - c) Acabado en madera

## FICHA TÉCNICA

### PRESTACIONES ÚNICAS

- Acero Inoxidable 304 o 316 para agua salada
- Activación manual; fácil de activar por una persona de manera rápida
- Opción plana disponible
- Gama de cerraduras a elegir
- Fácil de mantener
- El sistema es ideal para para todo tipo de construcciones, como urbanizaciones, villas, almacenes, fabricas...
- Sistema validado en situaciones de inundación reales con cero filtraciones.



RESIDENCIAL



COMERCIAL



INDUSTRIAL



UTILITY



01792 561117

[sales@lakesidefloodsolutions.co.uk](mailto:sales@lakesidefloodsolutions.co.uk)

Bruce Road, Fforestfach Industrial Estate, Swansea SA5 4HS





[www.lakesidefloodsolutions.co.uk](http://www.lakesidefloodsolutions.co.uk)




**LAKESIDE**  
FLOOD SOLUTIONS

## FICHA TÉCNICA


GA Drawings disponibles



Opciones de acabado



Option A: Rampa



Option B: Plana



01792 561117  
sales@lakesidefloodsolutions.co.uk  
Bruce Road, Fforestfach Industrial Estate, Swansea SA5 4HS



www.lakesidefloodsolutions.co.uk